ISE WebPACK 14.7 のインストール方法

ザイリンクスのウェブ・サイトから、"Windows 用フルインストーラー(TAR/GZIP - 6.18GB) Xilinx_ISE_DS_Win_14.7_1015_1.tar"をダウンロードします.

Xilinx_ISE_DS_Win_14.7_1015_1.tar	2014/10/03 12:34	TAR ファイル	6,476,830 KB
-----------------------------------	------------------	----------	--------------

2. Xilinx_ISE_DS_Win_14.7_1015_1.tar を復元します.

🍌 .xinstall	2014/10/07 9:58	ファイル フォル…	
퉬 bin	2014/10/07 9:58	ファイル フォル…	
🐌 common	2014/10/07 9:58	ファイル フォル…	
🐌 data	2014/10/07 9:58	ファイル フォル…	
📙 edk	2014/10/07 10:16	ファイル フォル…	
🕕 idata	2014/10/07 10:16	ファイル フォル…	
🐌 ise	2014/10/07 9:58	ファイル フォル…	
🐌 labtools	2014/10/07 9:58	ファイル フォル…	
Microsoft.VC90.CRT	2014/10/07 9:58	ファイル フォル…	
Microsoft.VC90.MFC	2014/10/07 9:58	ファイル フォル…	
퉬 msg	2014/10/07 9:58	ファイル フォル…	
퉬 planahead	2014/10/07 9:59	ファイル フォル…	
퉬 planahead_wp	2014/10/07 9:58	ファイル フォル…	
퉬 sysgen	2014/10/07 10:16	ファイル フォル…	
퉬 webpack	2014/10/07 9:58	ファイル フォル…	
autorun.inf	2013/10/14 3:47	セットアップ情報	1 KB
🐔 xinfo.exe	2013/10/14 3:50	アプリケーション	741 KB
🕵 xsetup.exe	2013/10/14 3:50	アプリケーション	748 KB
5			

3. xsetup.exe を実行します.



4. Welcome 画面. Next をクリックします.



5. Accept License Agreements (1 of 2) 画面. 2 か所チェックして Next をクリックします.



6. Accept License Agreements (2 of 2) 画面. 1 か所チェックして Next をクリックします.

🐖 ISE 14.7 Installer	
	Accept License Agreements (2 of 2) Please read the following terms and conditions and click the checkbox below it to indicate that you accept
DESIGN SUITE	CAREFULLY READ THIS COLLECTION OF INFORMATION AND LICENSE AGREEMENTS. BY CLICKING THE "ACCEPT" OR "AGREE" BUTTON, OR OTHERWISE ACCESSING, DOWNLOADING, INSTALLING OR USING THE SOFTWARE, YOU AGREE ON BEHALF OF LICENSEE TO BE BOUND BY THIS INFORMATION AND LICENSE AGREEMENTS (TO THE EXTENT APPLICABLE TO THE SPECIFIC SOFTWARE YOU OBTAIN AND THE SPECIFIC MANNER IN WHICH YOU USE SUCH SOFTWARE).
ISE 14.7 Installer	IF LICENSEE DOES NOT AGREE TO ALL OF THE INFORMATION AND LICENSE AGREEMENTS BELOW, DO NOT CLICK THE "ACCEPT" OR "AGREE" BUTTON OR ACCESS, DOWNLOAD, INSTALL OR USE THE SOFTWARE; AND IF LICENSEE HAS ALREADY OBTAINED THE SOFTWARE FROM AN AUTHORIZED SOURCE, PROMPTLY RETURN IT FOR A REFUND.
Welsame -> Assept Lisense Agreements Select Praducts ta Install Select Installation Options	Part One: Overview. The following information applies to certain items of third-party technology that are included along with certain Xilinx software tools.
Select Destination Directory Installation	The Xilinx Embedded Development Kit (EDK) is a suite of software and other technology that enables Licensee to design a complete embedded processor system for use in a Xilinx Device. EDK includes, among other components, (a) the Xilinx Platform Studio (XPS), which is the development environment, or GUI, used for designing the hardware portion of an embedded processor system; and (b) the Xilinx Software Development Kit (SDK), which is an integrated development environment, complementary to XPS, that is used to create and verify C/C++ embedded software applications. SDK is also made available separately from EDK.
Capyright (a) 1995–2013 Xiinx, Inc. All rights reserved XUENX, the Xiinx lago and other designated branch included herein are trademarks are the property of their respective owners.	Licensee's use of the GNU compilers (including associated libraries and utilities) that are supplied with SDK may cause Licensee's software application (or board-support package) to be governed by certain third-party "open source" license agreements, as further described below. Licensee can avoid this result I accept and agree to the terms and conditions above
	Kext > Cancel

ISE 14.7 Installer	
	Select Products to Install
	Edition List
	ISE WebPACK
DESIGN SUITE	ISE Design Suite Logic Edition
	ISE Design Suite Embedded Edition
	ISE Design Suite DSP Edition
	ISE Design Suite System Edition
	Lab Tools - Standalone Installation
ISE 14.7 Installer	
Welcame	Disk Space Required : 14279 MB
-> Select Products to Install	
Select Installation Options Select Destingtion Directory	Description of ISE WebPACK
Installation	ISE WebPACK contains the most important tools you need for designing CPLDs and small to medium-
	ChipScope Pro and The Embedded Development Kit will also be installed with WebPACK but are
	licensed separately (not included in a WebPACK license file).
Consists (c) 1995-2013 Vilian be All visters	
reserved. XULINX, the Xilinx lago and other designated	
brands included herein are trademarks of Xilinx, Inc. All other trademarks are the property of their respective owners.	
	< Back Qancel

7. Select Products to Install 画面. ISE WebPACK を選択して Next をクリックします.

8. Select Installation Options 画面. オプションチェックはデフォルトのまま Next をク リックします.

ISE 14.7 Installer	
TISE IT. I IISCHEI	Select Installation Options Select the desired installation options below. Selection of these options may result in additional programs being run at the conclusion of the installation process. <u>Use multiple CPU cores for faster installation</u> Enabling this option will speed up installation but may slow down other active applications. <u>Acquire or Manage a License Key</u> <u>Install Cable Drivers</u> <u>Enable WebTalk to send software, IP and device usage statistics to Xilinx (Always enabled fc </u>
ISE 14.7 Installer Welcame Accept License Agreements Select Products to Install -> Select Installation Options Select Destination Directory Installation	III Select/Deselect All Description of Acquire or Manage a License Key Most Xilinx applications now require a license key file in order to run. If this selection is enabled, the Xilinx License Configuration Manager will be opened in order to assist you either in acquiring a new license file or in managing an existing license file. If this is your first time using Xilinx ISE Design Suite 14.7, it is highly recommended that you use this application to acquire or install your license file.
Capyright (a) 1995–2013 Xilinx, Inc. All rights reserved XLINX, the Xilinx laga and other designated branch included herein are trademarks of Xilinx, Inc. All other brademarks are the property of their respective owners.	
	< <u>B</u> ack <u>N</u> ext > <u>Q</u> ancel

9. Select Destination Directory 画面. デフォルト設定のまま, Next をクリックします.

💷 ISE 14.7 Installer		
	Select Destination Directory	
	Select the directory where you want the software installed.	
DESIGN SUITE	C:¥Xilinx	Br <u>o</u> wse
DEGIGIT GGTTE	Install location(s) : C:¥Xilinx¥14.7¥ISE_DS	
	Disk Space Required : 14279 MB	
	Disk Space Available : 34424 MB	
ISE 14.7 Installer		
Welcame Accept License Agreements	-	
Select Products to Install	Create Start Menu and Desktop Icons	
Select Installation Upbons -> Select Destination Directory	Select a Program Folder	
Installation	This name will appear in the Start Menu $>$ Programs list.	
	Xilinx Design Tools	▼
	\boxed{V} Tool preferences and file association	
	Import tool preferences from previous version and change project file asso	cistion to ISE WebPACK 14.7
Capyright (a) 1995–2013 Xilinx, Inc. All right reserved XUENX, the Xilinx lago and ather designated by an included herein are trademedies of Xilinx, An ather trademaks are the property of the respective awners.	5 5 11 17	
		< <u>B</u> ack <u>N</u> ext > <u>C</u> ancel

10. Installation Options Summary 画面. 内容確認後, Install をクリックします.



11. インストール開始



12. WinPcap のインストーラが起動. Next をクリックします.



13. Welcome 画面. Next をクリックします.



14. License Agreement 画面. I Agree をクリックします.

G	WinPcap 4.1.1 Setup
ſ	()), D License Agreement
1	Please review the license terms before installing WinPcap 4.1.1.
	Press Page Down to see the rest of the agreement.
	Copyright (c) 1999 - 2005 NetGroup, Politecnico di Torino (Italy). Copyright (c) 2005 - 2009 CACE Technologies, Davis (California). All rights reserved.
	Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:
	 Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials
	If you accept the terms of the agreement, click I Agree to continue. You must accept the agreement to install WinPcap 4.1.1.
N	Julisoft Install System v2.45
	< Back I Agree Cancel

15. Installation options 画面. そのまま Install をクリックします.

🕞 WinPcap 4.1.1 Setup	
10). 2	Installation options
Winrcap	Please review the following options before installing WinPcap $4,1,1$
Automatically start t	he WinPcap driver at boot time
System Information	
Operating system dete	ected on registry: Windows 7 - x86
True operating system npptools.dll present or	(kernel.dll): Windows 7 - x86 the system: false
netnm.inf present on t	he system: false he system: false
Nullsoft Install System v2.45	
Hansore anosali bybeoin rerio	< Back Install Cancel
[

16. Complete 画面. Finish をクリックします.



17. Install Completed 画面. インストール終了です. Finish をクリックします. なお,この画面は次の License Configuration Manager 画面の下に隠れている場合があります.

😥 ISE 14.7 Installer [100%]	
DESIGN SUITE	Install Completed Congratulations! You have successfully installed Xilinx ISE WebPACK. The environment variables are written to the settings32.bat file at "C:Xilinx14.7NSE_DS". In order to set the variables in your environment, you must run the settings32.bat file.
ISE 14.7 Installer Weldame Accept License Agreements Beleat Praducts to Install Beleat Installation Options Beleat Destination Directory -> Installation	
Capyright (c) 1995–2015 Xilinx, ha. All rights reserved XULNX, the Xilinx logo and other designated brands included herein are tabemarko of Xilinx ha. All other trademarko are the property of their respective owners.	Einish

18. License Configuration Manager 画面. Get Free Vivado/ISE WebPACK を選択. Next をクリックします.

Xilinx License Conf	iguration Manager				– – X
Acquire a License	Manage Licenses	Borrow/Restore Licenses	Return Licenses	Internet Settings	
-Select one of the fo	llowing options				
💿 Start Now! - 30	Day Trial (No Bitstre	am)			
Get Free Vivad	o/ISE WebPack Licen	æ			
💿 Start 30 Day Ev	valuation				
🔘 Get My Purcha:	sed License(s)				
Cocate Existing	License(s)				
Description of the a	bove selected option				
Get a free Vivado. a license for Vivado. configure your sys please visit wwww. Note: WebTalk is a WebPACK license. always be used. T	TSE WebPack license lo/ISE WebPack. Once tem to use the license illmx.com. Illmx.com. Illmays enabled for We If a design is using a to change this, please	and start using your Xilinx sof your license file is generated, J. For more information on Vixe SPACK users. WebTalk ignores device contained in WebPACK see Answer Record 34746.	tware, You will be tak the [®] Manage Xilinx L do/JSE WebPack, inc user and install pref and a WebPACK lice	en to the Xilinx website where y icenses" tab will open to enable luding supported devices and app erence when a bitstream is gener nse is available, the WebPACK lin	u can generate you to lications, ated using the cense will
About				Next	Close

19. ダイアログの Connect Now をクリックします.

III Xilinx License Configuration Manager	23
Local System Information	
Hostname: Resident	
Network Interface Card (NIC) ID: 342302471108	
C: Drive Serial Number:	
FLEXID Dongle ID:	
Connect New Save Information Cancel	

20. Manage Licenses タブの状態

copy a certificate-base (*.lic) residing in the loc	d license (.lic file) into cal Xilinx directory.	the local	Xilinx director	y. Xilinx applic	ations automa	tically dete	ct valid, node-locked lic	enses
Load License								
To point to a floating se (Linux users will need to 1234@server:/usr/local/	erver license, or to poi o make these settings /flex1m (Linux)	nt to licens outside of	e files in locat this applicatio	ions other thar n) Examples:	n Xilinx, set o 1234@server;(ne of the er S¥licenses¥	vironment variables bel Xilinx.lic (Windows) or	ow.
XILINXD_LICENSE_FILE								
LM_LICENSE_FILE							381	
HIDDEN	📝 Hide Built-in Fre	e Licenses					Clea	r Cache
Feature	S/W or IP Core	Version Limit	Expiration Date	License Type	Count	Licenses In Use	Information	, I
ten_gig_eth_pcs_p…	IP:Bought	2012.04	Permanent	Nodelocked	Uncounted		License_Type:Bough	nt;ipm
xps_usb_host	IP:Hardware_E…	2013.06	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardv	ware_E
xps_usb2_device_v2	IP:Hardware_E…	1.0	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardv	ware_E
xps_usb2_device_v1	IP:Hardware_E…	1.0	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardv	ware_E
xps_usb2_device	IP:Hardware_E…	2013.06	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardv	ware_E
xps_uart16550_v1	IP:Hardware_E…	1.0	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardv	ware_E
xps_uart16550	IP:Hardware_E…	2013.06	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardv	ware_E
xps_most_nic_v1	IP:Hardware_E…	1.0	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardv	ware_E
xps_most_nic	IP:Hardware_E…	2013.06	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardv	ware_E
Local System Information Hostname: Network Interface Card C: Drive Serial Number:	(NIC) ID:	•						•

21. ブラウザが起動しザイリンクスのサイトに接続. アカウントを取得して, Sign in しま す.

	LETW	Sign in	Language + D	enter keyw	rords	t Us Shop;	ing Cart (0)
			Products	Applications	Support	Buy	About Xilin
gn in to the _{User ID}	Xilinx Licensing	Site			Why registe	er? ess to all your	design needs
Password	Forgot your password?	Sign In			 Sign up for Join Xilinx Download Order prod Get technic Gain access Register for 	r product alerts support forum software and t lucts and tools cal help ss to special co r training and	and news s cools ontent events
te: Xilinx employees sho	ould Sign In using their Xilinx ID	and password.			Create Accour	nt	
∂ Copyright 2014 Xilinx Inc	. Privacy Trademarks Le	gal Sitemap Feedback	Contact Us			in <mark>8[.] 🕒</mark>	1 🚵 🖂 🛛

22. Next をクリック

A Xilinx Registration		x I
	re.xilinx.com/webreg/register.do?group=esd_oms&licensetype=2&ea=842b2bz 💡 🔚	☆ =
		^
First Name *	Program .	
Last Name *	A resigni	
Department	エレクトロニクス出版部	
Address 1 *	Sugamo 1-14-2	
Address 2		
City *	Toshima	
Postal/Zip Code *	1708461	
Country *	Japan 🔻	
State/Province	Select One Tokyo	
	help	
Phone (include area code) *	81-3-5395-2123	
Corporate Email	Enskepigenik	
Company/Organization *	CQ Publishing Co., Ltd.	
	Update profile	
Job Function *	Press/Editor •	
Primary Market *	Industrial	
Next		
Copyright 2014 Xilinx Inc. Privacy Tr	ademarks Legal Sitemap Feedback Contact Us 🛛 🖪 🙁	*

23. Product Licensing 画面. ISE WebPACK License をチェックし, Generate Node-Locked License ボタンを押します.

					_ 0	>
Xilinx: Software and IP x						
← → C 🖌 🏠 https://xilinx.entitlenow.com/AcrossUs	ser/main.gsp?licens	seType=28	kproduct=	-0451108	&tab= 💓 🖪 දූ	3
ome : Support : Product Licensing						
Product Licensing						
•					🕧 Hel	lp
Jreate New Licenses Manage Licenses						-
Have a Voucher to Redeem? ?	Evaluation and	No Charge Co	ores ?			
enter voucher code	and add specifi	cores to table	below	scatalog	Search Now	
create a New License File						
Create a new license file by making your product selections from the table below.	8					
Certifcate Based Licenses						
Product	Туре	License	Available	Status	Subscription	
	Codificate No Observe	Nede	Seats	Comment	End Date	
V ISE WebPACK License	Certificate - No Charge	Node	1/1	Current	None 205 days	
Vivado HI S Evaluation License	Certificate - Evaluation	Node	1/1	Current	30 days	
Vivado neo Evaluation Eldense	Certificate - Evaluation	Node		Current	JU days	
4					•	
Generate Node-Locked License						
ctivation Based Licenses						
▲ Important Information						
The activation licensing section below is disabled either because Vivado Lic license has already been generated using this unique request ID. Please se	ense Manager was not use e the "Troubleshooting Tips	d to initiate this " section of the	web session License FAQ	or because an for more infor	Activation mation.	
http://www.xilinx.com/tools/faq.htm						
Product	Туре	License	Available Seats	Status	Subscription End Date	
Vivado HLS Evaluation License	Activation - Evaluation	Node	1/1	Current	365 days	
Vivado WebPACK License	Activation - No Charge	Node	1/1	Current	None	
Xilinx MicroBlaze/All Programmable SoC Software Development Kit – Standalone	Activation - No Charge	Node	1/1	Current	None	
Vivado Design Suite (No ISE): 30-Day Evaluation Node-Locked License	Activation - Evaluation	Node	1/1	Current	30 days	

24. Next をクリック

Generate Node License Fields marked with an asterisk * are required.										
1 PRODUCT SELECTION										
Product Selections *	Product		Туре	Available Seats	Subscription End Date	Requested Seats				
	ISE We	bPACK License	No Charge	1/1	None	1				
	4					•				
2 system	INFORMA	TION								
License		Node								
Host ID * ?		Any								
<u>3</u> соммен	NTS									
Comments [?										
Next <u>Res</u>	et <u>Cancel</u>									

25. Next をクリック

Generate Node L	icense				
4 REVIEW LICE	NSE REQUEST				
Product Selections					
Product		Subscription End Date	Available Seats	Requested Seats	
ISE WebPACK Lice	nse		1/1	1	
System Information					
License	Node				
Host ID	ANY				
Note: WebTalk is al bitstream is generat WebPACK license i WebTalk, go to <u>ww</u>	ways enabled for WebPACK use ed using the WebPACK license. s available, the WebPACK licens v.xilinx.com/ise/webtalk.	ers. WebTalk i If a design is se will always	ignores user using a dev be used. To	r and install p rice contained get addition	preference wher d in WebPACK nal information o
Previous Next	ancer				

26. Congratulations 画面. しばらくすると, Xilinx.lic ファイルがメールで届くので適当 なディレクトリに保存します.



27. Load License ボタンを押し, Xilinx.lic ファイルをロードします.

Acquire a License	Manage Licenses	lorrow/Rest	tore Licenses	Beturn Lice	nses Inte	rnet Setting		
ricquire à License		0110001103	IOIC EICCHSCS	Hotam Elec	1303 110	met betting.	•	
Instructions: Click the copy a certificate-bas (*.lic) residing in the la	"Load License" button ed license (lic file) inte ocal Xilinx directory.	to either lo the local	ad a response Xilinx director	XML file into X y. Xilinx applic	KLCM to activ ations automa	ate your mai tically detec	chine for Xilinx tools and t valid, node-locked licer	IP, or ises
Load License								
To point to a floating : (Linux users will need 1234@server:/usr/loca	server license, or to po to make these setting: al/flex1m (Linux)	int to licens s outside of	e files in locat this applicatio	ions other thar n.) Examples:	n Xilinx, set o 1234@server;(ne of the env C:¥licenses¥)	vironment variables below Xilinx.lic (Windows) or	۷.
XILINXD_LICENSE_FIL	E							
LM_LICENSE_FILE							Set	
HIDDEN	👿 Hide Built-in Fre	e Licenses					Clear 0	Cache
Fosturo	S/W or	Version	Evolution	Liconco	Count	Liconsos	Information	
reacure	IP Core	Limit	Date	Туре	counc	In Use	Information	C
ten_gig_eth_pcs_p··	IP:Bought	2012.04	Permanent	Nodelocked	Uncounted		License_Type:Bought	;ipm
xps_usb_host	IP:Hardware_E···	2013.06	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardwa	are_E
xps_usb2_device_v2	IP:Hardware_E···	1.0	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardwa	are_E
xps_usb2_device_v1	IP:Hardware_E…	1.0	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardwa	are_E
xps_usb2_device	IP:Hardware_E···	2013.06	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardwa	are_E
xps_uart16550_v1	IP:Hardware_E…	1.0	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardwa	are_E
xps_uart16550	IP:Hardware_E…	2013.06	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardwa	are_E
xps_most_nic_v1	IP:Hardware_E…	1.0	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardwa	are_E
xps_most_nic	IP:Hardware_E···	2013.06	30-jan-2…	Nodelocked	Uncounted		License_Type:Hardwa	are_E
<								•
Hostname:	(ion)	1						
Network Interface Car	d (NIC) ID:							
C: Drive Serial Numbe	er alle de							
FLEXID Dongle ID:								
About							Refresh	Close

28. ライセンスインストールが成功!.

Kilinx License Config	guration Manager								
Acquire a License	Manage Licenses	Borrow/Res [:]	tore Licenses	Return Lice	nses	Inte	rnet Settings		
Instructions: Click th copy a certificate-ba (*.lic) residing in the	e "Load License" butto sed license (.lic file) in local Xilinx directory.	n to either lo to the local	oad a response Xilinx director	XML file into) y. Xilinx applic	(LCM t ations (o activ automa	ate your mac tically detec	chine for Xilinx tools and If t valid, node-locked licens	^D , or es
Load License									
To point to a floating (Linux users will nee 1234@server:/usr/loc	server license, or to p d to make these setting al/flex1m (Linux)	oint to licens ss outside of	se files in locat this applicatio	ions other thar n.) Examples:	n Xilin× 1234@s	;, set or server;(ne of the env S¥licenses¥>	vironment variables below. Kilinx.lic (Windows) or	
XILINXD_LICENSE_FI	LE								
LM_LICENSE_FILE								Set	
HIDDEN	📝 Hide Built-in Fr	ee Licenses						Clear Ca	ache
Feature	S/W or IP Core	Version Limit	Expiration Date	License Type	Coun	t	Licenses In Use	Information	
ten_gig_eth_pcs_p	IP:Bought	linx License	e Configuratio	on Man	23	unted		License_Type:Bought;i	pm
xps_usb_host	IP:Hardw		- conniguratio			unted		License_Type:Hardwar	e_E
xps_usb2_device_v	2 IP:Hardw	Licens	e installation	was success	ful.	unted		License_Type:Hardware_E	
xps_usb2_device_v	1 IP:Hardw				_	unted		License_Type:Hardwar	e_E
xps_usb2_device	IP:Hardw			OK		unted		License_Type:Hardwar	e_E
xps_uart16550_v1	IP:Hardware_E··	· 1.0	30-jan-2…	Nodelocked	Unco	unted		License_Type:Hardwar	e_E
xps_uart16550	IP:Hardware_E··	2013.06	30-jan-2…	Nodelocked	Unco	unted		License_Type:Hardwar	e_E
xps_most_nic_v1	IP:Hardware_E··	1.0	30-jan-2…	Nodelocked	Unco	unted		License_Type:Hardwar	e_E
xps_most_nic	IP:Hardware_E··	2013.06	30-jan-2…	Nodelocked	Unco	unted		License_Type:Hardwar	e_E
Local System Inform Hostname: Network Interface Ca C: Drive Serial Numb FLEXID Dongle ID:	iii ation ard (NIC) ID:								•
About								Refresh CI	ose

29. 念のため WebPACK のライセンスを確認します.

Xilinx License Config	guration Manager						
Acquire a License	Manage Licenses	Borrow/Rest	ore Licenses	Return Lice	nses Inte	rnet Setting:	S
Instructions: Click th copy a certificate-ba (*.lic) residing in the	e "Load License" butto ised license (.lic file) ir local Xilinx directory.	on to either lo nto the local	ad a response Xilinx director;	XML file into > y. Xilinx applic	KLCM to activ ations automa	ate your ma tically detec	chine for Xilinx tools and IP, or t valid, node-locked licenses
Load License							
To point to a floating (Linux users will nee 1234@server:/usr/loc	:server license, or to p d to make these settin ;al/flex1m (Linux)	point to licens gs outside of	e files in locat this applicatio	ions other thar n) Examples:	n Xilinx, set o 1234@server;(ne of the en C:¥licenses¥)	vironment variables below. Xilinx.lic (Windows) or
XILINXD_LICENSE_FI	LE						Set
LM_LICENSE_FILE							
HIDDEN	📝 Hide Built-in Fi	ree Licenses					Clear Cache
Feature	S/W or IP Core	Version Limit	Expiration Date	License Type	Count	Licenses In Use	Information
тс	IP:Bought	2013.10	Permanent	Nodelocked	Uncounted		License_Type:Bought;Xilin
ISE_WebPACK	S/W	2015.10	Permanent	Nodelocked	Uncounted		ISE_WebPACK,soft
S6_PCIE	IP:Bought	2010.08	Permanent	Nodelocked	Uncounted		License_Type:Bought;Xilin
RGB2YCRCB_classic	c IP:Bought	2013.10	Permanent	Nodelocked	Uncounted		License_Type:Bought
ten_gig_eth_pcs_p	··· IP:Bought	2012.04	Permanent	Nodelocked	Uncounted		License_Type:Bought;ipm
XAUI	IP:Bought	2010.08	Permanent	Nodelocked	Uncounted		License_Type:Bought;Xilin
XC7Z020	S/W	2015.10	Permanent	Nodelocked	Uncounted		ISE_WebPACK,soft
•							•
-Local System Inform	ation						
Hostname:		5					
Network Interface Ca	ard (NIC) ID:						
C: Drive Serial Numb	er:	8					
, 22/10 Dongie ID.							
About							Refresh Close